

8300/8500

CLASSIC STEEL

Offering the highest level of insulation in a variety of classic designs.


Model 8300, Sonoma panel, Golden Oak textured wood grain finish, Arched Stockton III windows and decorative hardware

8300/8500 model comparison

| | Model 8300 | Model 8500 |
|--|-----------------------------------|--|
| Door construction | 3-layer Steel/Insulation/Steel | 3-layer Steel/Insulation/Steel 2" thick steel panels |
| Polyurethane insulation* | Yes | Yes |
| Insulation R-value** | R-12.12 | R-16.22 Highest of all models |
| Tongue and groove section joints to seal out weather | Yes | Yes |
| Warranty | | |


*Polyurethane insulation provides superior insulation value and thermal efficiency compared to polystyrene. **Wayne Dalton uses a calculated door section R-value for our insulated doors.

choose your style:




Colonial

1



Contemporary



Ranch



Standard paint finishes











White

Almond

Taupe

Brown

Black (8300 only)

Optional textured wood grain finishes available on 8300 model Sonoma design only





Actual color may vary from brochure due to fluctuations in printing process.

Golden Oak

Walnut



choose your windows:

For Colonial and Contemporary Panels

| Clear I |
|--------------------------|
| |
| Cascade I |
| |
| Cathedral I |
| |
| Prairie I (MH & PE only) |
| |
| Sherwood I |
| |
| Stockton I |
| |
| Waterton I |
| |
| Williamsburg I |

Clear I

For **Sonoma** Panels




















Clear II

Cascade I

Cathedral I



Available for **double car doors** with **Sonoma** Panels.



Arched Stockton Double

ME=Mount Hope Plant

PE=Pensacola Plant

For Ranch Panels





Cathedral II



Sherwood II



Waterton II



Williamsburg II

Not all windows are available in all sizes or in all areas. Check with your Wayne Dalton dealer for details.


Décor[®] Windows for Colonial and Contemporary Panels



Majestic Leaded II

Reflections Leaded II

choose your hardware:







Additional hardware options are available. Visit our website at ww.wayne-dalton.com.

classic. stylish. efficient

solid good looks.





Made with two layers of steel and polyurethane foam insulation, Models 8300 and 8500 are extremely durable. Not only that, they are offered in four designs with factory-finished colors or an optional bi-directional wood grain finish that emulates the beauty of real wood.



Ranch Panel, White finish with Clear II windows

performance features



Insulation

Models 8300 and 8500 come with foamed in place polyurethane insulation with an R-value* of 12.12 for Model 8300 and R-value of 16.22 for Model 8500. Insulation can improve your home's thermal efficiency, reduce street noise, and make the door operate more quietly.

Effective Joint Seals

Snug-fitting tongue-and-groove section joints reduces wind and weather from entering the garage.



Heavy Gauge Steel End Caps

Wrap-around end caps trim out door edges for better appearance, improved strength and protect the insulation from damage.

Silent Glide Rollers

Nylon rollers with solid steel shafts provide years of smooth, quiet and dependable operation.

Windsafe™

Available with optional hardware and reinforcement for high-wind regions.



Models 8300 and 8500 offer a Limited Lifetime Warranty on the steel skin. See full text of warranty for details.



*Wayne Dalton uses a calculated door section R-value for our insulated doors.

Garage Door Design Center

www.Wayne-Dalton.com

Go to Wayne-Dalton.com today and click on Design Center. Here you can upload a photo of your home and experiment with panel designs, color options, window styles and hardware designs. Instant curb appeal awaits with just the click of your mouse! Then print the results and go online to find your closest Wayne Dalton dealer.

BEFORE



Arched Stockton windows and decorative hardware

11

AFTER





2501 S. State Hwy 121 Bus., Ste 200 Lewisville, TX 75067 www.wayne-dalton.com SOLD AND DISTRIBUTED BY:

© 2014 Wayne Dalton, a Division of Overhead Door Corporation. Consistent with our policy of continuing product improvement, we reserve the right to change product specifications without notice or obligation. Item 352062

11